BMLA

Full Color HD Camera



BMLATHC500FKEW BMLATHC500FKEW

- Full Color Bullet
- 1/2.5" CMOS sensor
- 6mm Fixed Lens
- Suport Warm white (4000K), up to 60m

www.longse.com

Data Subject To Change Without Notice

Longse

Model NO.	BMLAHTC500FKEW	BMLATHC500FKEW
Video Output Mode	AHD: 8M@15fps, 5M@20fps/12.5fps, 4M@30fps/25fps/15fps, 2M@30fps/25fps; TVI: 8M@15fps/12.5fps,5M@20fps/12.5fps, 4M@30fps/25fps/15fps, 2M@30fps/25fps; CVI: 8M@15fps/12.5fps, 4M/2M@30fps/25fps; CVBS	
Camera		
Image Sensor	1/2.5" CMOS sensor	
Image Resolution	8M:3840*2160 5M:2592*1944 4M:2560*1440 2M:1920*1080	
TV System	PAL/NTSC	
Electronic Shutter	Auto	
Minimun Illumination	Color: 0.03 lux@F2.0, 0 Lux with white light	
Scanning System	Progressive Scan	
Lens		
Focus Length	6mm	
Focus Control	Fixed	
Lens Type	Fixed	
Night Vision		
IR Cut Filter	YES	
Infrared LED	NO,Suport Warm white (4000K)	
Light Distance	up to 60m	
IR Status	AGC Auto Control	
Camera Features		
Starlight	N/A	
Day/Night	Color	
OSD Menu	YES	
WDR	DWDR	
итс	YES	
Noise Reduction	DNR	
Coaxial Au <mark>dio</mark>	YES(only TVI)	
White Balance	AUTO / MANUAL	
Gain Control	АЦТО	
General		
Housing	Main Body:Metal Cover:Plastic, IP67	
Bracket	YES	
Operation Temperature	-10°C ~ +60°C RH95% Max	
Storage Temperature	-20°C ~ +60°C RH95% Max	
Power Source	DC12V±10%, 1000mA	
Dimension	220(W) x 109(H) x 106(D)mm	
Weight	2.15Kg	




Technical Specifications

Model	BMLA	
Material	Aluminum & SECC & PC	
Dimension(WxHxD)	109 x 106x 220mm	
Weight	2.15kg	
Color	White	
Operating Temperature	-20°C ~ +60°C	
Humidity	< 95% RH	
Junction Box	B320	

Dimensions (mm)





www.longse.com