

# CMSA

Full Color HD Camera



## CMSAHTC200FPEW CMSATHC200FPEW

- Full Color Dome
- 1/3" CMOS Sensor
- 3.6mm Fixed Lens
- Support Warm white (4000K), up to 25m

[www.longse.com](http://www.longse.com)

Data Subject To Change Without Notice

Model NO.	CMSAHTC200FPEW	CMSATHC200FPEW
Video Output Mode	AHD/TVI: 5M@20fps/12.5fps, 4M@30fps/25fps/15fps, 2M@30fps/25fps; CVI: 4M@30fps/25fps, 2M@30fps/25fps;CVBS	
<b>Camera</b>		
Image Sensor	1/3" CMOS Sensor	
Image Resolution	5M:2592*1944 4M:2560*1440 2M:1920*1080	
TV System	PAL/NTSC	
Electronic Shutter	Auto	
Minimum Illumination	Color : 0.03 lux@F2.0, 0 Lux with white light	
Scanning System	Progressive Scan	
<b>Lens</b>		
Focus Length	3.6mm	
Focus Control	Fixed	
Lens Type	Fixed	
<b>Night Vision</b>		
IR Cut Filter	YES	
Infrared LED	NO, Support Warm white (4000K)	
Light Distance	up to 25m	
IR Status	AGC Auto Control	
<b>Camera Features</b>		
Starlight	N/A	
Day/Night	Color	
OSD Menu	YES	
WDR	DWDR	
UTC	YES	
Noise Reduction	DNR	
Coaxial Audio	YES(only TVI )	
White Balance	AUTO / MANUAL	
Gain Control	AUTO	
<b>General</b>		
Housing	Eyeball: Metal Base: Plastic, IP67	
Bracket	NO	
Operation Temperature	-10℃ ~ +60℃ RH95% Max	
Storage Temperature	-20℃ ~ +60℃ RH95% Max	
Power Source	DC12V±10%, 450mA	
Dimension	∅ 109 x 93(H) mm	
Weight	600g	

## Technical Specifications

Model	CMSA
Material	Aluminum & SECC & PC
Dimension(WxHxD)	Φ109 x 93mm
Weight	single set 600g (with packaging 800g)
Color	Sand Grain White
Operating Temperature	-20°C ~ +60°C
Humidity	< 95% RH
Optional accessories	B116, B320, B173, PC116-CMSA

## Dimensions (mm)

