



## SPECIFICATION

<b>Model NO.</b>	<b>CMSCHTC200ESH</b>	<b>CMSCTHC200ESH</b>
<b>Video Output Mode</b>	<b>AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps; CVBS</b>	
<b>Camera</b>		
<b>Image Sensor</b>	1/2.8" SONY Starvis Back-illuminated CMOS sensor	
<b>Image Resolution</b>	5M:2592*1944 4M:2560*1440 2M:1920*1080	
<b>TV System</b>	PAL/NTSC	
<b>Electronic Shutter</b>	Auto	
<b>Minimum Illumination</b>	Color : 0.001 lux@F1.6, AGC ON; B/W : 0 lux with IR	
<b>Scanning System</b>	Progressive Scan	
<b>Lens</b>		
<b>Focus Length</b>	3.6mm	
<b>Focus Control</b>	Fixed	
<b>Lens Type</b>	Fixed	
<b>Night Vision</b>		
<b>IR Cut Filter</b>	YES	
<b>Infrared LED</b>	42μ x 2PCS	
<b>Infrared Distance</b>	25M	
<b>IR Status</b>	AGC Auto Control	
<b>Camera Features</b>		

Starlight	YES
Day/Night	YES
OSD Menu	YES
WDR	120dB
UTC	YES
Noise Reduction	AI-DNR
Coaxial Audio	N/A
White Balance	AUTO / MANUAL
Gain Control	AUTO

## General

Housing	Metal (Ring Plastic) , IP67
Bracket	NO
Operation Temperature	-10°C ~ +60°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 500mA
Dimension	φ126.8 x 93.8(H) mm
Weight	750g